

1/7




FIG.1

2/7




FIG.2

3/7

Field	
r..j 1 A-o 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25 26 27 28 29 30 31 32 33 34 35 36 37 38 39 40 41 42 43 44 45 46 47 48 49 50 51 52 53 54 55 56 57 58 59 60 61 62 63 64 65 66 67 68 69 70 71 72 73 74 75 76 77 78 79 80 81 82 83 84 85 86 87 88 89 90 91 92 93 94 95 96 97 98 99 100	
Name Hierarchy Reader	
Type Readers	Composed
<input checked="" type="checkbox"/> Allow multiple values	
<input type="checkbox"/> Compute After Validation	
Style <input checked="" type="radio"/> Notes style <input type="radio"/> Notes OS style	
Size	Width 1.000" <input type="checkbox"/> Field orientation
Height 0.250"	<input type="checkbox"/> Dynamic height
Tab Key	
Position in tab order 0	

Short name/UserID. Short name/UserID and/or internet address for R4.SMTA.MTA	
Persons title	
Internet password	
Type DocumentAccess	
LDAP hidden fields DU PostalAddress HomePostalAddress	
Customer Reader Hierarchy Reader	
Hierarchy_Reader (Field) Value	
Run Form.ds	
@Name([Canonicalize], "*" + @Name([HierarchyOnly], Fullname))	

Objects	Reference
Hierarchy Records	
<input checked="" type="radio"/> (Options)	
<input type="radio"/> (Declarations)	
<input type="radio"/> Initialize	
<input type="radio"/> Terminate	

FIG.3

4/7

Basics	Administration
<div>Field</div> <div><div><div>Group Name:</div><div>ListName</div></div><div>Group type:</div><div>GroupType</div><div>Description:</div><div>ListDescription</div><div>Members:</div><div>Members</div></div> <div><div>Type</div><div>DocumentAccess</div><div>DocumentAccess</div><div>\$\$\$Return</div></div> <div>Customer Reader</div> <div>Hierarchy Reader</div>	
<div>Objects   Reference</div> <div><div>Type (Field)</div><div>DocumentAccess</div><div>\$\$\$Return (Field)</div><div>Hierarchy Records</div><div><div><input checked="" type="radio"/> (Options)</div><div><input type="radio"/> (Declarations)</div><div><input type="radio"/> Initialize</div></div></div>	
<div>Hierarchy_Reader (Field) Value</div> <div>Run Form.ds</div> <div>@Name([Canonicalize], "*" + @Name([HierarchyOnly]; ListOwner))</div>	
<div>Field</div> <div><div>Name</div><div>Hierarchy Reader</div><div>Type</div><div>Readers</div><div>Composed</div><div><input checked="" type="checkbox"/> Allow multiple values</div><div><input type="checkbox"/> Compute After Validation</div><div>Style</div><div><input checked="" type="radio"/> Notes style</div><div><input type="radio"/> Notes OS style</div><div>Size</div><div>Width</div><div>1,000"</div><div>Field orientation</div><div>Height</div><div>0.250"</div><div>Dynamic height</div><div>Tab Key</div><div>Position in tab order</div><div>0</div></div>	

50

52

FIG.4

5/7

View

1

Name (Functions \$PeopleGroupsFlat)

Alias \$PeopleGroupsFlat

Comment

Standard

Run (Customer \$PeopleGroupFlat)[View[ - View\_Sale Form.ds

SELECT (Type="Peson" | (Type="Group" & GroupType="0"."1"))

Objects Reference

(Customer \$PeopleGroupFlat)

Form

H

T

70

FIG.5

6/7

Person record no. BMG Test/BMGNMTERACTAJENS

File Edit View Text Help

Save and Close ☐ ☐

PERSON BMG Test/BMGNMTERACTAJENS

Work Home				
First Name	BMG			
Middle Name				
Last Name	Test			
User Name	BMG Test/BMGNMTERACTAJENS			
	BMG Test,			

80

FIG.6

7/7




FIG.7